


## AUTOMATED GLASS CUTTING: Clip Holders with Wheels or Blades

The diamond hard metal wheels used in the CSM clips allow a precise cut in glass with maximum yield. Ideal for all types of cuts.

Available with Diamond Grind (DG) finish recommended for monolithic float glass and with Double Sharpened Grind (DSG) finish used for laminated, layered and shaped cutting.










The composition of the plastic is formulated for optimum glide and lubrication. Each plastic clip color identifies the cutting wheel angle and the corresponding glass thickness, making it easy to order the clips by color and just add the finish code (DG or DSG) as needed.

Single Sharpening Grind




### CSM Series Plastic Clips

Use the CSM Plastic Clips with these cutting tables: for Bavelloni, Bottero, Bolla, CMS, GFP Meccanica, Intermac, MacoTec, Hegla and Tuomas. Sold in packs of 10, 20 or 50 pieces.

	Part No.	Finish	Glass Type / Cut Type	Glass Thickness	Color
	D-CSMANT	DL	Tempered Glass Mirror/ Used by cutting from the plastic side		Violet
	D-CSM115	DL	Float / Universal	0.8–1.5 mm	
	D-CSM118	DL	Float / Universal	1.5–2.0 mm	Yellow
	D-CSM127	PL	Float, Pirex / Universal	2.0 mm	Aqua
	D-CSM135	PL	Float / Straight	3.0 mm	White
			Float / Shaped	1.0 mm	
	D-CSM140	PL	Float / Straight	4.0 mm	Blue
			Float / Shaped	1.0 mm	
	D-CSM145	PL	Float / Straight	3.0–6.0 mm	Black
			Float / Shaped	3.0 mm	
			Laminated	3+3–10+10 mm	
	D-CSM150	PL	Float / Straight	8.0 mm	Brown
			Float / Shaped	3.0–4.0 mm	
			Laminated	3+3–10+10 mm	
	D-CSM155	PL or DG	Float / Straight	8.0–15.0 mm	Red
			Float / Shaped	5.0–8.0 mm	
			Laminated	3+3–10+10 mm	
	D-CSM160	DG	Thick Glass / Universal	> 15.0 mm	Green









## CSDA Series Plastic Clips

The CSDA series are made with 5.6 diameter wheels with double sharpening.

The standard finishes of PL,DG or DSG guarantee optimal results for straight,

shaped or laminated cuts.





Talamoni plastic clips and wheels equal convenience, quality and universal usage.

	Part No.	Finish	Glass Type / Cut Type	Glass Thickness	Color
	<b>DCS135DG</b>	DG	Straight and stratified	3.0–4.0 mm	White
	<b>DCS145DG</b>	DG	Straight and stratified	3,0-8,00 mm	Black
	<b>DCS155DG</b>	DG	Straight and stratified	8,00 – 15,00 mm	Red
	<b>DCS160DSG</b>	DSG	Thick Glass Straight and stratified	>15.0 mm - 19,00mm	Green

## Series C Plastic Clips

The wheels mounted on the Series C Plastic Clips have a 6.0 mm diameter and are made with a DG or DSG finish.

Use the Series C plastic clips with these cutting tables: Bystronic, Bavelloni, Bottero, Lisec, Euromec, Otem, etc.

	Part No.	Finish	Glass Type / Cut Type	Glass Thickness	Color
	<b>C135</b>	PL	Float / Straight	3.0–6.0 mm	White
			Float / Shaped	2.0 mm	
	<b>C145</b>	DG	Float / Straight	3.0–8.0 mm	Black
			Float / Shaped	3.0 mm	
			Laminated	3+3–10+10 mm	
	<b>C155</b>	DG	Float / Straight	8.0–12.0 mm	Red
			Float / Shaped	5.0–8.0 mm	
			Laminated	3+3–10+10 mm	
	<b>C160</b>	DG or DSG	Thick Glass / Universal	> 15.0 mm	Green